SAMPLE CONTENT MHT-CET TEST SERIES BIOLOGY WITH ANSWER KEY & SOLUTIONS 1750 MCQs▶

- 19 Topic Tests

· 06 Revision Tests

⁻ 05 Model Test Papers

Target Publications® Pvt. Ltd.

MHT-CET BIOLOGY TEST SERIES

With Answers Key & Solutions

Salient Features:

- Contains 19 Topic Tests and 6 Revision Tests which cover MCQs from multiple different topics for efficient practice of MCQs.
- 5 Model Test Papers at the end for self-evaluation.
- Includes '1750' MCQs for practice in the form of Topic Test, Revision Test and Model Test Papers as per latest paper pattern
- Answers provided to all the questions and Solutions for difficult questions.

Printed at: Print to Print, Mumbai

© Target Publications Pvt. Ltd.

No part of this book may be reproduced or transmitted in any form or by any means, C.D. ROM/Audio Video Cassettes or electronic, mechanical including photocopying; recording or by any information storage and retrieval system without permission in writing from the Publisher.

PREFACE

Target's 'MHT-CET Biology Test Series' is a complete practice book, extremely handy for the preparation of MHT-CET examination. This book would act as a go-to tool for preparation and practice at the same time.

The core objective of the book is to help students gauge their preparedness to appear for MHT-CET Examination, as it includes a beautiful assortment of MCQ's in the form of Topic Tests and Revision Tests along with Model Test Papers as per latest paper pattern. Topic Tests are provided for powerful concept building.

Revision Tests develop confidence in the students, as it includes MCQs from three/four different topics. Model Test Papers would help students analyse their strengths and area of improvement to yield better results.

All Test Papers in this book have been created in line with the examination pattern and touches upon all the conceptual nodes of the subject.

We have provided answers to all the questions along with detailed solutions for difficult questions.

We are sure that, these question papers would provide ample practice to students in a systematic manner and would boost their confidence to face the challenges posed in examinations.

We welcome your valuable suggestions and feedback towards this book.

We wish the students all the best for their examinations!

PublisherEdition: First

The journey to create a complete book is strewn with triumphs, failures and near misses. If you think we've nearly missed something or want to applaud us for our triumphs, we'd love to hear from you.

Please write to us on : mail@targetpublications.org

A book affects eternity; one can never tell where its influence stops.

Disclaimer

This reference book is transformative work based on Std. XI and XII Biology Textbook; Reprint 2021 and Reprint: 2021 respectively, published by the Maharashtra State Bureau of Textbook Production and Curriculum Research, Pune. We the publishers are making this book which constitutes as fair use of textual contents which are transformed in the form of Multiple Choice Questions and their relevant solutions; with a view to enable the students to understand memorize and reproduce the same in MHT-CET examination.

This work is purely inspired by the paper pattern prescribed by State Common Entrance Test Cell, Government of Maharashtra. Every care has been taken in the publication of this reference book by the Authors while creating the contents. The Authors and the Publishers shall not be responsible for any loss or damages caused to any person on account of errors or omissions which might have crept in or disagreement of any third party on the point of view expressed in the reference book.

© reserved with the Publisher for all the contents created by our Authors.

No copyright is claimed in the textual contents which are presented as part of fair dealing with a view to provide best supplementary study material for the benefit of students.

MHT-CET PAPER PATTERN

- There will be three papers of Multiple Choice Questions (MCQs) in 'Mathematics', 'Physics and Chemistry' and 'Biology' of 100 marks each. Duration of each paper will be 90 minutes.
- Questions will be based on the syllabus prescribed by Maharashtra State Board of Secondary and Higher Secondary Education with approximately 20% weightage given to Std. XI and 80% weightage will be given to Std. XII curriculum.
- Difficulty level of questions will be at par with JEE (Main) for Mathematics, Physics, Chemistry and at par with NEET for Biology.
- There will be no negative marking.
- Questions will be mainly application based.
- Details of the papers are as given below:

Paper	Subject(s)	No. of MCQs based on		Mark(s)	Total	Duration in Minutes
.			Std XII	Per Question	Marks	
Paper I	Mathematics	10	40	2	100	90
D II	Physics	10	40	1	100	90
Paper II	Chemistry	10	40	1		
Paper III	Biology	20	80	1	100	90

• Chapters / units from Std. XI curriculum:

Sr.no	Subject	Chapters/Units of Std. XI		
1	Physics	Motion in a plane, Laws of Motion, Gravitation, Thermal properties of		
		matter, Sound, Optics, Electrostatics, Semiconductors		
2	Chemistry	Some Basic concepts of chemistry, Structure of atom, Chemical Bonding,		
		Redox reactions, Elements of group 1 and 2, States of Matter (Gaseous		
		and Liquids), Adsorption and colloids (Surface Chemistry),		
		Hydrocarbons, Basic principles of organic chemistry		
3	Mathematics	Trigonometry II, Straight Line, Circle, Measures of Dispersion,		
		Probability, Complex Numbers, Permutations and Combinations,		
		Functions, Limits, Continuity		
4	Biology	Biomolecules, Respiration and Energy Transfer, Human Nutrition,		
		Excretion and Osmoregulation		

Language of Question Paper:

The medium for examination shall be English / Marathi / Urdu for Physics, Chemistry and Biology. Mathematics paper shall be in English only.

• Duration of Examination:

The duration of the examination for PCB is 180 minutes and PCM is 180 minutes.

INDEX

Sr. No	Test Name	Page No.
1	Biomolecules	1
2	Respiration and Energy Transfer	4
3	Human Nutrition	7
4	Excretion and Osmoregulation	10
	Revision Test 01	13
5	Reproduction in Lower and Higher Plants	16
6	Plant Water Relations	19
7	Plant Growth and Mineral Nutrition	23
	Revision Test 02	27
8	Inheritance and Variation	31
9	Molecular Basis of Inheritance	34
10	Origin and Evolution of Life	37
	Revision Test 03	40
11	Human Health and Diseases	44
12	Enhancement of Food Production	47
13	Biotechnology	50
	Revision Test 04	54
14	Reproduction in Lower and Higher Animals	57
15	Respiration and Circulation	60
16	Control and Co-ordination	63
	Revision Test 05	66
17	Organisms and Populations	69
18	Ecosystems and Energy Flow	73
19	Biodiversity, Conservation and Environmental Issues	77
	Revision Test 06	80
	Model Test Paper 01	84
	Model Test Paper 02	90
	Model Test Paper 03	96
	Model Test Paper 04	102
	Model Test Paper 05	108
	Answers & Solutions to MCO's	114-139

Topic Test

01

Biomolecules

Time: 45 min Total Marks: 50

1. Match the Column I with Column II with respect to number of carbon atoms the monosaccharides possess and select the correct option.

	Column I		Column II
i.	Erythrose	p.	Trioses
ii.	Ribose	q.	Pentoses
iii.	Fructose	r.	Hexoses
iv.	Glyceraldehyde	S.	Tetroses

- (A) i-s, ii-q, iii-r, iv-p
- (B) i-q, ii-p, iii-s, iv-r
- (C) i-s, ii-r, iii-p, iv-q
- (D) i-q, ii-r, iii-p, iv-s
- 2. _____ is a saturated fatty acid.
 - (A) Stearic acid
- (B) Oleic acid
- (C) Palmitoleic acid
- (D) Linolenic acid
- 3. Which of the following reaction occurs when a disaccharide is formed from monosaccharide?
 - (A) Condensation
 - (B) Hydration
 - (C) Hydrolysis
 - (D) Dehydrogenation
- 4. Lactose is composed of
 - (A) Glucose and fructose
 - (B) Glucose and galactose
 - (C) Two glucose molecules
 - (D) Glucose and maltose
- 5. Which of the following is an example of structural protein?
 - (A) Myoglobin
- (B) Keratin
- (C) Immunoglobulin (D) Thrombin
- 6. is a simple lipid.
 - (A) Glycerol
 - (B) Glycolipid
 - (C) Phospholipid
 - (D) Glycerophospholipid
- 7. Nucleotide differs from nucleoside by presence of
 - (A) Phosphoric acid
 - (B) Nitrogenous base
 - (C) Pentose sugar
 - (D) both (A) and (B)
- 8. Non-competitive inhibitors
 - (A) do not bind with the enzyme at substrate binding site but bind at prosthetic group.
 - (B) bind with the enzyme at substrate binding site.

- (C) do not bind at prosthetic group.
- (D) do not inhibit the activity of enzymes.
- 9. Monosaccharides are linked together by
 - (A) glycosidic bond
 - (B) dipeptide bond
 - (C) phosphodiester bonds
 - (D) polypetide bond
- 10. Which of the following is also known as dehydrogenases?
 - (A) Transferases
- (B) Oxidoreductases
- (C) Hydrolases
- (D) Lyases
- 11. RNA differs from DNA
 - (A) in the nature of purines alone
 - (B) in the nature of sugar alone
 - (C) in the nature of sugar and pyrimidines
 - (D) in the nature of pyrimidines alone
- 12. Which of the following is CORRECT about enzymes?
 - (A) They are amphoteric in nature.
 - (B) They work best under optimum conditions.
 - (C) They are colloidal in nature.
 - (D) All of the above
- 13. Nucleic acids are composed of many small units called as
 - (A) monosaccharides (B) nucleotides
 - (C) polypeptides
- (D) co-factors
- 14. Which of the following is a purine that pairs with cytosine?
 - (A) Adenine
- (B) Guanine
- (C) Thymine
- (D) Uracil
- 15. Proportion of hydrogen and oxygen in carbohydrates is
 - (A) 1:1
- (B) 2:1
- (C) 3:1
- (D) 4:1
- 16. Two or more polypeptide chains fold, giving a characteristic structure to the protein molecule which is held by
 - (A) glycosidic bonds
 - (B) disulphide bonds
 - (C) phosphodiester bonds
 - (D) hydrogen bonds
- 17. Glycolipid is a
 - (A) derived lipid
 - (B) compound lipid
 - (C) simple lipid
 - (D) conjugated protein



MHT-CET Biology Test Series Which of the following is INCORRECT 28. Purine: pyrimidine ratio is 18. regarding monosaccharides? (A) 1:1 2:1 Monosaccharides cannot (C) 3:1 (D) 4:1 (A) be further hydrolyzed. 29. Which of the following set includes amino acids? They are classified as aldoses and ketoses. (B) Glycine, serine, rhamnose They are crystalline, soluble in water and (C) Lysine, digitoxose, cysteine (B) sweet to taste. (C) Serine, glycine, lysine (D) Ribulose and fructose are Alanine, rhamnose, lysine (D) monosaccharides with aldehyde groups. 30. Pick out the ODD one out. 19. is NOT a pyrimidine base. Steroids (A) Glycolipid (B) (A) Thymine (B) Adenine (C) Waxes (D) Carotenoids Cytosine (D) (C) Uracil is the reservoir of biomolecules in the 31. cell on which enzymes can act to produce useful 20. Carbohydrates are classified on the basis of number of polymers of amino acids. products as per the need of the cell. (A) Genetic pool Metabolic pool (B) number of sugar units they contain. (A) (B) Cytoplasmic pool (D) Germplasm (C) proportion of H:O ratio. (C) types of nucleic acids they contain. (D) 32. involves continuous process of breakdown and synthesis of biomolecules 21. Plant fats through chemical reactions. are saturated fatty acids. (A) (A) Catabolism Anabolism (B) (B) are unsaturated fatty acids. Metabolism Both (B) and (C) (C) (D) do not have double bond between carbon (C) atoms of its chain. 33. are small organic molecules produced consist of maximum possible hydrogen (D) by organisms that are not essential for their atoms. growth, development and reproduction. Primary metabolites (A) 22. Select the INCORRECT match. (B) Secondary metabolites Glucose – $C_6H_{12}O_6$ (A) Tertiary metabolites (C) Formaldehyde – HCHO (B) Essential metabolites Fructose – $C_4H_{10}O_2$ (C) Lactic acid – CH₃CHOH.COOH Morphine is the first alkaloid isolated from (D) 34. is used as pain reliver and cough 23. Carbohydrates suppressant. have general formula Cx(H₂O)v (A) (A) Papaver somniferum means hydrates of carbon (B) Sorghum vulgare (B) have proportion of H:O ratio 3:1 (C) Helianthus annuus (C) both (A) and (B) (D) (D) Zamia pygmaea 24. Lipids are Which of the following enzymes catalyze the 35. homogeneous compounds. (A) covalent linkage of the molecules utilizing the inorganic compounds. (B) energy obtained from hydrolysis of an energysoluble in water. (C) rich compound? soluble in organic and non-polar solvents. Isomerases (A) (B) Ligases (C) Oxidoreductases (D) Lyases 25. What is the similarity between cholesterol and Increase in the _____ gradually increases the phytosterol? 36. velocity of enzyme activity within the limited (A) They are compound lipids. range of substrate levels. They are derived lipids. (B) competitive inhibitor (C) They are simple lipids. (A) They are conjugated proteins. (B) substrate concentration enzyme-substrate complex (C) 26. Which of the following are macromolecules? activation energy (D) **Proteins** Nucleic acids (A) (B) 37. Complete the analogy. (C) Lipids (D) Both (A) and (B) Transferase: Catalyze the transfer of certain 27. When a sugar combines with nitrogenous base it : Catalyze structural groups :: is called rearrangements nucleoside (A) nucleotide (B)

(A) Lyases

Isomerases

(C)

(B)

(D)

Ligases

Synthetases

(C)

derived lipid

(D)

compound lipid



(A) Histones (C) Haemoglobin (D) Albumins 39. Which of the following type of RNA sl presence of DHU arm and amino acid bir arm? (A) mRNA (B) rRNA (C) tRNA (D) Both (B) and 40. Which of the following are the Implicate proposed by Erwin Chargaff? i. Purine and pyrimidine always occur in amount in DNA. ii. The base ratio i.e. A+T/G+C may vary in DNA of different groups of animals and pubut the ratio remains constant for particular species. iii. Pyrimidine bases are single ring (monocynitrogenous bases. (A) i and iii (B) i and ii (C) ii and iii (D) i, ii and iii (C) ii and iii (D) i, ii and iii (D) i, ii and iii (C) monosaccharides (D) amino acids (E) monosaccharides (D) amino acids (D) monosaccharides (D) monosaccharides (D) monosaccharides (D) monosaccharides (D) mucoprotei (C) Metaprotein (D) Mucoprotei (D) Mucoprotei (D) Mucoprotei (D) monosacchary structure (D) monosaccharia monosaccharia monosaccharia monosaccharia monosaccharia monosaccharia monos	38.	From the formation proteins.	ollowing	identi	fy the	deriv	ved
presence of DHU arm and amino acid bir arm? (A) mRNA (B) rRNA (C) tRNA (D) Both (B) and 40. Which of the following are the Implicated proposed by Erwin Chargaff? i. Purine and pyrimidine always occur in amount in DNA. ii. The base ratio i.e. A+T/G+C may vary in DNA of different groups of animals and put the ratio remains constant for partispecies. iii. Pyrimidine bases are single ring (monocynitrogenous bases. (A) i and iii (B) i and ii (C) ii and iii (B) i, ii and iii 41. Simple proteins on hydrolysis yield (A) nucleotides (B) glycerol (C) monosaccharides (D) amino acids 42. Which of the following proteins are involve packaging of DNA into nucleosomes? (A) Haemoglobin (B) Histones (C) Metaprotein (D) Mucoprotei 43. In the peptide chains are much low twisted and folded back on themselves deformation of disulphide bonds. (A) primary structure (B) secondary structure (C) tertiary structure (B) secondary structure (C) tertiary structure (C) tertiary structure (C) hydrophobic head and tail (B) hydrophobic head and tail (C) hydrophobic head and hydrophobic tai (D) hydrophobic head and hydrophobic tai		(A) Histone					
40. Which of the following are the Implicated proposed by Erwin Chargaff? i. Purine and pyrimidine always occur in a sum ount in DNA. ii. The base ratio i.e. A+T/G+C may vary in DNA of different groups of animals and put the ratio remains constant for particular species. iii. Pyrimidine bases are single ring (monocynitrogenous bases. (A) i and iii (B) i and iii (C) ii and iii (B) i and iii (C) ii and iii (D) i, ii and iii 41. Simple proteins on hydrolysis yield (A) nucleotides (B) glycerol (C) monosaccharides (D) amino acids 42. Which of the following proteins are involve packaging of DNA into nucleosomes? (A) Haemoglobin (B) Histones (C) Metaprotein (D) Mucoprotei 43. In the peptide chains are much loot twisted and folded back on themselves difformation of disulphide bonds. (A) primary structure (B) secondary structure (C) tertiary structure (C) tertiary structure (D) Both (B) and (C) 44. Phospholipids are amphiphilic in nature been they have (A) hydrophobic head and tail (C) hydrophilic head and hydrophobic tait (D) hydrophobic head and hydrophobic tait (D) hydrophobic head and hydrophilic tait (E) Hydrophobic head and hydrophilic tait (D) hydrophobic head and hydrophilic tait (D) hydrophobic head and hydrophilic tait (E) Hydrophobic head and hydrophil	39.	presence of D					
proposed by Erwin Chargaff? i. Purine and pyrimidine always occur in a amount in DNA. ii. The base ratio i.e. A+T/G+C may vary in DNA of different groups of animals and p but the ratio remains constant for parti species. iii. Pyrimidine bases are single ring (monocy nitrogenous bases. (A) i and iii (B) i and ii (C) ii and iii (D) i, ii and iii 41. Simple proteins on hydrolysis yield (A) nucleotides (B) glycerol (C) monosaccharides (D) amino acids 42. Which of the following proteins are involve packaging of DNA into nucleosomes? (A) Haemoglobin (B) Histones (C) Metaprotein (D) Mucoprotei 43. In the peptide chains are much loo twisted and folded back on themselves difformation of disulphide bonds. (A) primary structure (B) secondary structure (C) tertiary structure (C) tertiary structure (C) tertiary structure (D) Both (B) and (C) 44. Phospholipids are amphiphilic in nature beauthey have (A) hydrophobic head and tail (C) hydrophilic head and hydrophobic tai (D) hydrophobic head and hydrophobic tai (D) hydrophobic head and hydrophobic tai (D) hydrophobic head and hydrophobic tai (C) derived lipids (D) phospholipid 45. Glycolipids are also known as (A) creebrosides (B) simple lipid (C) derived lipids (D) phospholipid 46. Which of the following is a trisaccharide? (A) Erythrose (B) Raffinose (C) Ribose (D) Lactose		* /) and ((C)
amount in DNA. ii. The base ratio i.e. A+T/G+C may vary in DNA of different groups of animals and p but the ratio remains constant for parti species. iii. Pyrimidine bases are single ring (monocy nitrogenous bases. (A) i and iii (B) i and iii (C) ii and iii (D) i, ii and iii 41. Simple proteins on hydrolysis yield (A) nucleotides (B) glycerol (C) monosaccharides (D) amino acids 42. Which of the following proteins are involve packaging of DNA into nucleosomes? (A) Haemoglobin (B) Histones (C) Metaprotein (D) Mucoprotei 43. In the peptide chains are much loc twisted and folded back on themselves difformation of disulphide bonds. (A) primary structure (B) secondary structure (C) tertiary structure (C) tertiary structure (D) Both (B) and (C) 44. Phospholipids are amphiphilic in nature becthey have (A) hydrophobic head and tail (B) hydrophilic head and hydrophobic tai (D) hydrophobic head and hydrophobic tai (D) hydrophobic head and hydrophilic tai 45. Glycolipids are also known as (A) cerebrosides (B) simple lipid (C) derived lipids (D) phospholipi 46. Which of the following is a trisaccharide? (A) Erythrose (B) Raffinose (C) Ribose (D) Lactose 47. The exoskeleton of insects is made us (A) chitin (B) ribose	40.				the Imp	olicatio	ons
DNA of different groups of animals and p but the ratio remains constant for parti species. iii. Pyrimidine bases are single ring (monocy nitrogenous bases. (A) i and iii (B) i and iii (C) ii and iii (D) i, ii and iii 41. Simple proteins on hydrolysis yield (A) nucleotides (B) glycerol (C) monosaccharides (D) amino acids 42. Which of the following proteins are involve packaging of DNA into nucleosomes? (A) Haemoglobin (B) Histones (C) Metaprotein (D) Mucoprotei 43. In the peptide chains are much loce twisted and folded back on themselves deformation of disulphide bonds. (A) primary structure (B) secondary structure (C) tertiary structure (C) tertiary structure (D) Both (B) and (C) 44. Phospholipids are amphiphilic in nature becethey have (A) hydrophobic head and tail (B) hydrophilic head and hydrophobic tai (D) hydrophobic head and hydrophobic tai (C) derived lipids (D) phospholipi 46. Which of the following is a trisaccharide? (A) Erythrose (B) Raffinose (C) Ribose (D) Lactose 47. The exoskeleton of insects is made unitation.	i.			alway	s occur	in eq	ual
iii. Pyrimidine bases are single ring (monocynitrogenous bases. (A) i and iii (B) i and ii (C) ii and iii (D) i, ii and iii 41. Simple proteins on hydrolysis yield (A) nucleotides (B) glycerol (C) monosaccharides (D) amino acids 42. Which of the following proteins are involve packaging of DNA into nucleosomes? (A) Haemoglobin (B) Histones (C) Metaprotein (D) Mucoprotei 43. In the peptide chains are much lot twisted and folded back on themselves deformation of disulphide bonds. (A) primary structure (B) secondary structure (C) tertiary structure (C) tertiary structure (D) Both (B) and (C) 44. Phospholipids are amphiphilic in nature been they have (A) hydrophobic head and tail (B) hydrophilic head and hydrophobic tai (D) hydrophobic head and hy	ii.	DNA of differ but the ratio	rent group	s of a	nimals a	nd pla	nts
(C) ii and iii (D) i, ii and iii 41. Simple proteins on hydrolysis yield (A) nucleotides (B) glycerol (C) monosaccharides (D) amino acids 42. Which of the following proteins are involve packaging of DNA into nucleosomes? (A) Haemoglobin (B) Histones (C) Metaprotein (D) Mucoprotei 43. In the peptide chains are much loo twisted and folded back on themselves do formation of disulphide bonds. (A) primary structure (B) secondary structure (C) tertiary structure (C) tertiary structure (D) Both (B) and (C) 44. Phospholipids are amphiphilic in nature beathey have (A) hydrophobic head and tail (B) hydrophilic head and hydrophobic tai (D) hydrophobic head and hydrophobic tai (D) hydrophobic head and hydrophobic tai (C) derived lipids (D) phospholipi 46. Which of the following is a trisaccharide? (A) Erythrose (B) Raffinose (C) Ribose (D) Lactose 47. The exoskeleton of insects is made up (A) chitin (B) ribose	iii.	Pyrimidine ba		ingle r	ing (mo	nocyc	lic)
(A) nucleotides (B) glycerol (C) monosaccharides (D) amino acids 42. Which of the following proteins are involve packaging of DNA into nucleosomes? (A) Haemoglobin (B) Histones (C) Metaprotein (D) Mucoprotei 43. In the peptide chains are much lot twisted and folded back on themselves differentiation of disulphide bonds. (A) primary structure (B) secondary structure (C) tertiary structure (D) Both (B) and (C) 44. Phospholipids are amphiphilic in nature beathey have (A) hydrophobic head and tail (B) hydrophilic head and hydrophobic tai (D) hydrophobic head and hydrophobic tai (D) hydrophobic head and hydrophobic tai (C) derived lipids (D) phospholipi 46. Which of the following is a trisaccharide? (A) Erythrose (B) Raffinose (C) Ribose (D) Lactose 47. The exoskeleton of insects is made us (A) cribose							
(A) nucleotides (B) glycerol (C) monosaccharides (D) amino acids 42. Which of the following proteins are involve packaging of DNA into nucleosomes? (A) Haemoglobin (B) Histones (C) Metaprotein (D) Mucoprotei 43. In the peptide chains are much look twisted and folded back on themselves down formation of disulphide bonds. (A) primary structure (B) secondary structure (C) tertiary structure (D) Both (B) and (C) 44. Phospholipids are amphiphilic in nature been they have (A) hydrophobic head and tail (B) hydrophilic head and hydrophobic tain (D) hydrophobic head and hydrophobic tain (D) hydrophobic head and hydrophobic tain (D) hydrophobic head and hydrophobic tain (C) derived lipids (D) phospholipids 46. Which of the following is a trisaccharide? (A) Erythrose (B) Raffinose (C) Ribose (D) Lactose 47. The exoskeleton of insects is made up (A) chitin (B) ribose		(C) ii and iii	i	(D)	i, ii and	111	
(C) monosaccharides (D) amino acids 42. Which of the following proteins are involve packaging of DNA into nucleosomes? (A) Haemoglobin (B) Histones (C) Metaprotein (D) Mucoprotei 43. In the peptide chains are much loo twisted and folded back on themselves deformation of disulphide bonds. (A) primary structure (B) secondary structure (C) tertiary structure (D) Both (B) and (C) 44. Phospholipids are amphiphilic in nature been they have (A) hydrophobic head and tail (B) hydrophilic head and hydrophobic tain (C) hydrophobic head and hydrophobic tain (D) hydrophobic head and hydrophilic tain 45. Glycolipids are also known as (A) cerebrosides (B) simple lipid (C) derived lipids (D) phospholipids 46. Which of the following is a trisaccharide? (A) Erythrose (B) Raffinose (C) Ribose (D) Lactose 47. The exoskeleton of insects is made up (A) chitin (B) ribose	41.	Simple prote	eins on	hydrol	ysis yie	eld o	nly
 42. Which of the following proteins are involve packaging of DNA into nucleosomes? (A) Haemoglobin (B) Histones (C) Metaprotein (D) Mucoprotein 43. In the peptide chains are much look twisted and folded back on themselves deformation of disulphide bonds. (A) primary structure (B) secondary structure (C) tertiary structure (D) Both (B) and (C) 44. Phospholipids are amphiphilic in nature bed they have (A) hydrophobic head and tail (B) hydrophilic head and hydrophobic tain (C) hydrophobic head and hydrophobic tain (D) hydrophobic head and hydrophilic tain 45. Glycolipids are also known as (A) cerebrosides (B) simple lipid (C) derived lipids (D) phospholipin 46. Which of the following is a trisaccharide? (A) Erythrose (B) Raffinose (C) Ribose (D) Lactose 47. The exoskeleton of insects is made up		· /					
packaging of DNA into nucleosomes? (A) Haemoglobin (B) Histones (C) Metaprotein (D) Mucoprotei 43. In the peptide chains are much look twisted and folded back on themselves deformation of disulphide bonds. (A) primary structure (B) secondary structure (C) tertiary structure (C) tertiary structure (D) Both (B) and (C) 44. Phospholipids are amphiphilic in nature bed they have (A) hydrophobic head and tail (B) hydrophilic head and hydrophobic tail (C) hydrophilic head and hydrophobic tail (D) hydrophobic head and hydrophobic tail (C) derived lipids (D) phospholipids (C) derived lipids (D) phospholipids (C) Ribose (D) Lactose 47. The exoskeleton of insects is made up (A) chitin (B) ribose		(C) monosa	ccharides	(D)	amino a	icids	
(C) Metaprotein (D) Mucoprotei 43. In the peptide chains are much look twisted and folded back on themselves deformation of disulphide bonds. (A) primary structure (B) secondary structure (C) tertiary structure (D) Both (B) and (C) 44. Phospholipids are amphiphilic in nature been they have (A) hydrophobic head and tail (B) hydrophilic head and tail (C) hydrophilic head and hydrophobic tail (D) hydrophobic head and hydrophilic tail 45. Glycolipids are also known as (A) cerebrosides (B) simple lipid (C) derived lipids (D) phospholipids 46. Which of the following is a trisaccharide? (A) Erythrose (B) Raffinose (C) Ribose (D) Lactose 47. The exoskeleton of insects is made up (A) chitin (B) ribose	42.	packaging of I	ONA into	nucleos	somes?		in
43. In the peptide chains are much look twisted and folded back on themselves deformation of disulphide bonds. (A) primary structure (B) secondary structure (C) tertiary structure (D) Both (B) and (C) 44. Phospholipids are amphiphilic in nature been they have (A) hydrophobic head and tail (B) hydrophilic head and tail (C) hydrophilic head and hydrophobic tain (D) hydrophobic head and hydrophobic tain (D) hydrophobic head and hydrophilic tain 45. Glycolipids are also known as (A) cerebrosides (B) simple lipid (C) derived lipids (D) phospholipids 46. Which of the following is a trisaccharide? (A) Erythrose (B) Raffinose (C) Ribose (D) Lactose 47. The exoskeleton of insects is made up (A) chitin (B) ribose		` '					
twisted and folded back on themselves deformation of disulphide bonds. (A) primary structure (B) secondary structure (C) tertiary structure (D) Both (B) and (C) 44. Phospholipids are amphiphilic in nature becethey have (A) hydrophobic head and tail (B) hydrophilic head and tail (C) hydrophilic head and hydrophobic tain (D) hydrophobic head and hydrophilic tain 45. Glycolipids are also known as (A) cerebrosides (B) simple lipid (C) derived lipids (D) phospholipids 46. Which of the following is a trisaccharide? (A) Erythrose (B) Raffinose (C) Ribose (D) Lactose 47. The exoskeleton of insects is made up (A) chitin (B) ribose	12	. ,		,	•		
they have (A) hydrophobic head and tail (B) hydrophilic head and tail (C) hydrophilic head and hydrophobic tai (D) hydrophobic head and hydrophilic tai 45. Glycolipids are also known as (A) cerebrosides (B) simple lipid (C) derived lipids (D) phospholipi 46. Which of the following is a trisaccharide? (A) Erythrose (B) Raffinose (C) Ribose (D) Lactose 47. The exoskeleton of insects is made up (A) chitin (B) ribose	73.	twisted and formation of d (A) primary (B) seconda (C) tertiary	olded back lisulphide structure ry structure structure	k on th bonds.			
(A) hydrophobic head and tail (B) hydrophilic head and tail (C) hydrophilic head and hydrophobic tai (D) hydrophobic head and hydrophilic tai 45. Glycolipids are also known as (A) cerebrosides (B) simple lipid (C) derived lipids (D) phospholipi 46. Which of the following is a trisaccharide? (A) Erythrose (B) Raffinose (C) Ribose (D) Lactose 47. The exoskeleton of insects is made up (A) chitin (B) ribose	44.		are amph	iphilic	in nature	e beca	use
(A) cerebrosides (B) simple lipid (C) derived lipids (D) phospholipid 46. Which of the following is a trisaccharide? (A) Erythrose (B) Raffinose (C) Ribose (D) Lactose 47. The exoskeleton of insects is made up (A) chitin (B) ribose		(A) hydroph(B) hydroph(C) hydroph	nilic head a	and tail and hyd	drophobi		
(A) Erythrose (B) Raffinose (C) Ribose (D) Lactose 47. The exoskeleton of insects is made up (A) chitin (B) ribose	45.	(A) cerebros	sides	(B)			8
47. The exoskeleton of insects is made up (A) chitin (B) ribose	46.	Which of the f (A) Erythros	following i	(B)	accharid Raffino	le?	
(A) chitin (B) ribose	17	· /	ton of :	()			~ £
	4/.	ine exoskele	OII OI 11	isects	is mad	e up	of
(C) macoprotein (D) iipoprotein			otein	(B) (D)		tein	

- 48. Which of the following is not the heteropolysaccharide?
 - (A) Hyaluronic acid (
- (B) Heparin
 - (C) Hemicellulose (D) Glycogen
- 49. Which of the following is CORRECT with respect to cellulose?
 - P. Natural sources: Plant fibers (cotton, flax, hemp, jute, etc.), wood.
 - Q. Structural units: It is made from β glucose molecules.
 - R. Functions: It in a major component of cell wall. It provides structural support.
 - (A) P and R
- (B) P and Q
- (C) Q and R
- (D) P, Q and R
- 50. Glycogen is stored in liver and muscles and it readily provides energy when the blood level decreases.
 - (A) lactose
- (B) glucose
- (C) galactose
- (D) ribulose

Revision Test 01

Topic Test – 01, 02, 03, 04

Time: 45 min **Total Marks: 50** 1. Identify the group that represents only primary (C) Glucose, complex fructose are metabolites. carbohydrates. (A) Amino acids, Lipids, Cocaine, Sugars In mammals, the monosaccharide -(B) Lipids, Terpene, Sugars, Proteins lactose present in milk provides energy to Nicotine, Cocaine, Terpene, Amino acids their young ones. (C) Sugars, Lipids, Proteins (D) In ETS. ATP is released between which 10. How many molecules of PGAL are used for 2. cytochromes? synthesis of one molecule of glucose? Cytochrome b-c₁ and cytochrome c (A) (A) 2 (B) 5 (C) 10 (D) 12 Cytochrome a and cytochrome a₃ (B) Cytochrome b-c₁ and cytochrome a₃ The floor of the buccal cavity correlates with 3. (C) (D) Both (A) and (B) (A) Tongue (B) Dentine Number of molars in a normal adult human are 11. (C) Palate (A) 4 (B) 8 (C) 12 (D) (D) Salivary glands Which of the following organisms are guanotelic? 12. Which mode of excretion is followed by fresh 4. Spiders and scorpions water invertebrates or amphibian larvae? Birds and reptiles (A) Ammonotelic (B) Ureotelic Fishes and amphibians (C) Uricotelic Guanotelic (C) (D) All of these (D) 5. Simple lipids are 13. Which of the following are the two functional lipids which contain additional elements or groups characteristic of sugars? groups in addition to fatty acids and alcohol. Methyl and Hydroxyl (A) esters of fatty acids with alcohol. (B) (B) Carbonyl and Methyl hydrolytic products of lipids. (C) Phosphate and Carbonyl (C) (D) esters of amino acids and aldehyde or Carbonyl and hydroxyl ketone group. Simple proteins on hydrolysis yield only 14. Which of the following is not true about enzymes? 6. amino acids cholesterol (A) (B) They act on specific substrate. (A) (C) nucleosides (D) monosaccharides They act at optimum temperature. (B) 15. Structural lipids of the cell membrane are They are made of amino acids and glycerol. (C) They act at specific pH. Chromolipid (A) (B) Phospholipid 7. Which layer of the gastrointestinal tract is Steroid Simple lipid (C) formed of loose connective tissues containing is the funnel-shaped area in the region 16. blood vessels, lymph vessels and nerves? of medulla of kidney. (A) Mucosa Submucosa (B) Renal pelvis Calyces (A) (B) (C) Serosa (D) Muscularis Renal pyramid (D) Renal papilla is responsible for blood supply to 8. Monosaccharide that consists of 3C atoms is 17. kidney. Glyceraldehyde (A) (B) Ervthrose (A) Renal vein (C) Glucose (D) Ribose Renal artery (B) (C) Inferior vena cava 18. The net gain of ATP for five glucose molecule in anaerobic respiration is (D) Pulmonary artery 2 ATP (A) (B) 5 ATP Identify the CORRECT statement regarding 9. 10 ATP (D) 15 ATP (C) carbohydrates. 19. Which of the following is responsible for the (A) They have either aldehyde or ketone emulsification of fats?

Pepsin

Pancreatic juice

(A)

group and two or more hydroxyl groups.

carbohydrates is C_nH_{2n}O_n.

The general formula for complex

Bile salts

HC1

(B)

(D)

MHT-CET Biology Test Series



20.	Kidneys are associated with secretion of (A) ANF (B) CCK (C) vasopressin (D) calcitriol is a purine.	31. Identify the function of the pancreatic cells. (A) Production of bile (B) Production of insulin (C) Glycogen storage (D) Synthesis of vitamins
	(A) Guanine (B) Thymine (C) Cytosine (D) Uracil	(D) Synthesis of vitamins 32. The blood flowing through the kidney is filtered as glomerular filtrate at the rate of 125ml/min.
22.	sugar is present in milk. (A) Glucose (B) Galactose (C) Sucrose (D) Lactose	How much glomerular filtrate is produced per day? (A) 100 litres (B) 180 litres (C) 200 litres (D) 20 litres
23.	Which of the following is NOT a monosaccharide? (A) Sucrose (B) Fructose (C) Glucose (D) Deoxyribose	33. Identify the INCORRECT statements. (A) Prosthetic group is non-protein in nature and is attached to the protein component of enzyme by chemical bonds.
24.	Minor calyces merge together to form major calyces which unite together to form (A) ureter	(B) Amino acids are building blocks of lipids.(C) Nucleotides are basic units of nucleic acids.
	(B) collecting tubule(C) renal pelvis(D) convoluted duct	(D) The enzymes which act within the cell in which they are synthesized are known as endo-enzymes.
25.	Cholesterol is a (A) steroid (B) carotenoid (C) compound lipid (D) simple lipid	34. Which of the following happens during link reaction?(A) Oxidative decarboxylation(B) Oxidative Phosphorylation
26.	Which of the following is NOT a phosphate donor in glycolysis?	(C) Carboxylation (D) Condensation
	(A) PEPA (B) NADP (C) ATP (D) H ₃ PO ₄	35. In proteins, amino acids are linked together by peptide bonds which join the of one amino acid residue to the of another
27.28.	Name the cartilaginous flap that guards the opening of the glottis. (A) Gullet (B) Epiglottis (C) Vestibule (D) Acini Which of the following is NOT a disaccharide?	residue. (A) aldehyde group, ketone group (B) carboxyl group, amino group (C) carboxyl group, aldehyde group (D) ketone group, amino group
26.	(A) Lactose (B) Maltose (C) Galactose (D) Sucrose	36. What is the blood colloidal osmotic pressure pressure?
29.	Pick out the CORRECT statement with respect to pairing of nitrogenous bases in DNA.	(A) 15 mm Hg (B) 30 mm Hg (C) 55 mm Hg (D) 10 mm Hg
	 (A) Two – hydrogen bonds are present between guanine and cytosine. (B) Three – hydrogen bonds are present between adenine and thymine. 	37. Which of the following is NOT a macromolecule? (A) Cellulose (B) Glycogen (C) DNA (D) Lecithin
20	(C) Total number of purine bases is equal to the total number of pyrimidine bases.(D) Purine and pyrimidine ratio is 2:1.	38. During the process of glycolysis, instead of glucose, if fructose-6-phosphate is used as substrate, then how many ATP will be gained? (A) 1 (B) 2 (C) 3 (D) 4
30.	In anaerobic respiration, reduction of acetaldehyde to ethyl alcohol is assisted by coenzyme (A) NADH ₂	39. There are number of teeth present in the upper jaw. (A) 32 (B) 20 (C) 16 (D) 8
	 (B) NADPH₂ (C) Thiamine pyrophosphate (D) Flavin Adenine Dinucleotide 	40 have green glands as excretory organs. (A) Echinoderms (B) Crustaceans (C) Mammals (D) Insects



- 41. Identify the structure which is absolutely necessary for the many biological activities of proteins.
 - (A) Primary structure
 - (B) Secondary structure
 - (C) Tertiary structure
 - (D) Both (A) and (B)
- 42. In anaerobic respiration, pyruvic acid undergoes decarboxylation to form
 - (A) Acetaldehyde
- (B) Ethyl alcohol
- (C) Glucose
- (D) Citric Acid
- 43. Vitamins are absorbed in
 - (A) lacteals
 - (B) rectum
 - (C) blood capillaries in the villi
 - (D) lacteals and blood capillaries in villi
- 44. Highly coiled part of nephron is
 - (A) proximal convoluted tubule
 - (B) loop of Henle
 - (C) distal convoluted tubule
 - (D) collecting tubule
- 45. Identify the sugar present in the RNA.
 - (A) Hexose sugar
 - (B) Deoxyribose sugar
 - (C) Ribose sugar
 - (D) Dextrose sugar
- 46. The Respiratory Quotient for carbohydrates
 - (A) 0.7
- (B) 0.9
- (C) 1
- (D) Infinite
- 47. Goblet cells are found in which layer of the gastrointestinal tract?
 - (A) Serosa
- (B) Submucosa
- (C) Muscularis
- (D) Mucosa
- 48. When glucose is fermented using yeast, the net gain of ATP per glucose molecule is
 - (A) 2 ATP
- (B) 12 ATP
- (C) 18 ATP
- (D) 38 ATP
- 49. Salivary glands are made up of
 - (A) serous cells
 - (B) acinar cells
 - (C) goblet cells
 - (D) Kupffer cells
- 50. When a protein has more than two polypeptide subunits their arrangement in space is called
 - (A) primary structure
 - (B) secondary structure
 - (C) tertiary structure
 - (D) quaternary structure

Model Test Paper - 01

Time: 90 min Total Marks: 100

- 1. Which of the following is the INCCORECT statement with respect to galactose?
 - (A) Galactose can also exist in α and β forms.
 - (B) Galactose looks very similar to glucose molecules.
 - (C) Galactose cannot play the same role in respiration as glucose.
 - (D) Glucose and galactose can be easily converted into one another.
- 2. Identify the location of oxidative phosphorylation.
 - (A) Cytoplasm
 - (B) Mitochondrial matrix
 - (C) Inner mitochondrial membrane
 - (D) Outer mitochondrial membrane
- 3. Identify the location of the parotid glands.
 - (A) Below the tongue
 - (B) Front of the ear
 - (C) Below the eye orbit
 - (D) Between two jaws
- 4. ____ has special receptors called osmoreceptors.
 - (A) Medulla
 - (B) Hindbrain
 - (C) Neurohypophysis
 - (D) Hypothalamus
- 5. Which one of the following layer of the anther wall helps in its dehiscence?
 - (A) Epidermis
- (B) Middle layer
- (C) Endothecium
- (D) Tapetum
- Which of the following is true if chamber A has water potential as -300 units and chamber B has water potential as -500 units? Also which of the two chambers has a higher Ψ_W ?
 - (A) Osmosis takes place from chamber A to B and, chamber A has higher Ψ_W .
 - (B) Osmosis takes place from chamber B to A and, chamber B has higher Ψ_W .
 - (C) Osmosis takes place from chamber A to B and, chamber B has higher Ψ_W .
 - (D) Osmosis takes place from chamber B to A and, chamber A has higher Ψ_W .
- **®**7. In the expression for arithmetic growth, $L_t = L_o + rt$, 'r' represents
 - (A) elongation per unit time
 - (B) growth rate
 - (C) base of natural logarithms
 - (D) both (A) and (B)

- 8. Identify the INCORRECT statement.
 - (A) In grasshopper, XX-XO type of sex determination is observed.
 - (B) In birds male has genotype ZW and female has genotype ZZ.
 - (C) In honey bee, male bees produce sperms by mitosis.
 - (D) In large number of insects, male gametes (sperms) do not bear the 'X' chromosome.
- 9. Match Column I with Column II and choose the correct option.

		Column I		Column II
	1.	Pitch of DNA helix	a.	200 bp
	2.	Distance between		3.4 nm
		consecutive base		
		pairs in a DNA helix		
	3.	Nucleosome content		$0.34 \times 10^{-9} \text{ m}$
		of DNA helix		
ľ	4.	Number of base	d.	10 bp
4		pairs per turn of		_
		DNA helix		

- (A) 1-b, 2-c, 3-a, 4-d
- (B) 1-c, 2-b, 3-a, 4-d
- (C) 1-b, 2-d, 3-c, 4-a
- (D) 1-b, 2-c, 3-d, 4-a
- **®** 10. Which amongst the following is considered as the living fossil?
 - (A) Ichthyostega
- (B) Archaeopteryx
- (C) Coelacanth
- (D) Seymouria
- 11. What is the incubation period of *P. malariae*?
 - (A) 14 days
- (B) 17 days
- (C) 12 days
- (D) 28 days
- All are improved breeds of sugar developed at the Sugarcane Breeding Institute, Coimbatore, EXCEPT
 - (A) CO-421
- (B) CO-419
- (C) CO-453
- (D) CO-12
- 13. What is the pairing of primers to ssDNA segment known as
 - (A) Deanneling
- (B) Annealing
- (C) Polymersiation
- (D) Denaturation
- - (A) fission
 - (B) amphimixis
 - (C) flagellated zoospores
 - (D) gemmule formation



- 15. Identify the part of the nasal chamber also known as the enditioner.
 - (A) Vestibule
- (B) Respiratory part
- (C) Sensory part
- (D) External nares
- 16. Which of the following cells are mainly responsible for production and probably also for circulation of CSF in brain ventricles and central canal?
 - (A) Ependymal cells
 - (B) Schwann cells
 - (C) Satellite cells
 - (D) Oligodendrocytes
- 17. Identify the INCORRECT pair.
- (A) Ectoparasite Ticks on dog
 - (B) Commensalism Orchids growing on mango trees
 - (C) Endoparasite Marine fish infested with copepods
 - (D) Mutualism Interaction between Cuckoo and Crow
- ® 18. The process of decomposition in which detritus is degraded and converted into simple inorganic substances due to enzymatic action of fungi and bacteria is
 - (A) Leaching
- (B) Catabolism
- (C) Humification
- (D) Mineralization
- 19. The species-area relationship equation is described as $\log S = \log C + Z \log A$. Regardless of the species under study, what is the value of Z for smaller areas?
 - (A) 0.1 to 0.2
- (B) 10 to 20
- (C) 0.6 to 1.2
- (D) 0.2 to 0.6
- 20. ____ is responsible for causing diversity in amino acid molecules.
 - (A) Number of carboxyl group in amino acids
 - (B) Peptide bonds
 - (C) Sequence of amino acids
 - (D) R-group of amino acids
- 21. Anaerobic respiration can also be called as
 - (A) oxidative decarboxylation
 - (B) substrate level dephosphorylation
 - (C) fermentation
 - (D) electron transport chain
- 22. The succus entericus contains which set of digestive enzymes?
 - (A) Rennin, amylase, chymotrypsin
 - (B) Trypsin, pepsin, lactase
 - (C) Maltase, enterokinase, trypsin
 - (D) Sucrase, maltase, dipeptidase
- 23. Which hormone catalyses the following conversion?

Angiotensinogen → angiotensin

- (A) Parathormone
- (B) Androgen
- (C) Aldosterone
- (D) Renin

- **®** 24. Identify the INCORRECT statement with respect to asexual reproduction.
 - (A) Asexual reproduction does not involve fusion of gametes.
 - (B) Fragmentation is a method of asexual reproduction.
 - (C) Reproduction by seed is a method of asexual reproduction.
 - (D) Asexual reproduction is responsible for the production of clones.
- Which of the following will be the consequence of placing a cell in an isotonic solution?
 - (A) Water will diffuse into the cell
 - (B) Water will diffuse out of the cell
 - (C) There will be no net flow of water inside or outside of the cell
 - (D) Cell will die due to loss of water
 - 26. Which of the following hormone is responsible for removing apical dominance?
 - (A) Gibberellins
- (B) Ethylene
- (C) Auxin
- (D) Cytokinin
- 27. What would be the possibility of a haemophilic daughter being born if a normal man marries a carrier woman (heterozygous) for haemophilia?
 - (A) 75%
- (B) 50%
- (C) 25%
- (D) 0%
- 28. Calculate the number of base pairs in it if the length of a DNA segment is 2.72 m.
 - (A) 4×10^9 bp
- (B) $8 \times 10^9 \text{ bp}$
- (C) $5 \times 10^8 \text{ bp}$
- (D) $6 \times 10^8 \text{ bp}$
- **®** 29. Which among the following is an example of molecular evidence of evolution?
 - (A) Forelimbs of terrestrial vertebrates
 - (B) Remnant of a tail in human
 - (C) Flippers of penguins and dolphins
 - (D) ATP as energy currency
 - 30. The injectable Typhoid polysaccharide vaccine is sold as _____
 - (A) Typhi 21
- (B) Typherix
- (C) Ty 21a
- (D) Vivotif Berna
- ®31. Which outbreeding process involves the mating of superior male of one breed with superior female of another breed?
 - (A) Outcrossing
 - (B) Interspecific hybridization
 - (C) Outbreeding
 - (D) Crossbreeding
 - 32. Identify the source of the restriction enzyme *Alu*I.
 - (A) H. influenzae Rd
 - (B) B. thuringiensis H
 - (C) Arthrobacter luteus
 - (D) Escherichia coli Ry13

MHT-CET Biology Test Series



- Fibromuscular band called is present in 33. the scrotum.
 - (A) dartos
- (B) gubernaculum
- (C) spermatic cord
- prepuce (D)
- Both atria and ventricles are in diastole for about 34.
 - 0.1 seconds (A)
- 0.3 seconds (B)
- (C) 0.4 seconds
- (D) 0.7 seconds
- 35. The potential difference seen in resting nerve is
 - -20 mV(A)
- (B) -70 mV
- (C) -150 mV
- (D) -200 mV
- 36. The interaction that is detrimental to one of the species is
 - (A) Mutualism
- (B) Commensalism
- (C) Amensalism
- (D) Both (A) and (B)
- Calculate the energy available to snake as food **R**37. in the following chain, if the grass is able to trap only 30 J of energy.

 $Grass \rightarrow Grasshopper \rightarrow Frog \rightarrow Snake$

- (A) 0.03 J
- (B) 0.003 J
- (C) 0.3 J
- (D) 0.0003 J
- 38. The predator fish Nile perch being introduced into Lake Victoria is an example of
 - habitat loss and fragmentation (A)
 - (B) co-extinction
 - (C) over-exploitation
 - (D) alien species invasion
- 39. Which of the following statement is INCORRECT with respect to structure of amino acid?
 - Amino acid contains two functional groups Amino group and Carboxyl group.
 - The carboxyl group (-COOH) of amino (B) acid is basic in nature.
 - R-group of amino acids is responsible for (C) causing diversity in amino acid molecules.
 - (D) In α amino acids, the amino group and carboxyl group are attached to the same carbon atom.
- 40. Identify the enzyme that catalyzes the following


Glucose -> glucose-6-phosphate?

- (A) Phosphofructokinase
- (B) Hexokinase
- (C) Phosphohexose isomerase
- (D) Phosphoglyeromutase
- In the liver, phagocytic cells called 41. cells are present.
 - (A) goblet
- (B) serous
- Kupffer (C)
- (D) mast
- 42. Genetic disorder that causes kidney to excrete too much of certain amino acid results in
 - (A) uremia
- nephritis. (B)
- (C) cystine stones
- (D) reanl failure


R43. Find the odd one out from the following and select the correct option.

Bryophyllum, Kalanchoe, Begonia, Asparagus

- (A) Bryophyllum
- (B) Kalanchoe
- Begonia (C)
- (D) Asparagus
- Identify the structures labelled as X and Y in the **R**44. given diagram of lenticel and select the correct option.



- X: Loose complementary Lenticular pore
- X: Subsidiary cells; Y: Lenticular pore (B)
- (C) X: Lenticular pore; Y: Subsidiary cells
- Lenticular pore; (D) X: Y: Loose complementary cells
- **R**45. Which of the following element is present in less amount in plant tissues?
 - Oxygen (A)
- Magnesium (B)
- (C) Manganese
- (D) Nitrogen
- A pea plant with yellow pods is crossed with 46. another pea plant with green pods produced 51 green pods and 49 yellow pods. Identify the genotype of plant with green pods.
 - (A) gg
- (C) GG
- (D) none of these
- Which of the following correctly represents a 47. set of stop codons?
 - UAA, UGA, AUG (A)
 - (B) UAA, AUG, UAG
 - UAG, UGA, UGG (C)
 - (D) UAA, UGA, UAG
- **R** 48. Which type of natural selection is represented in the following graph?



Time

- (A) Stabilizing selection
- Disruptive selection (B)
- Directional selection (C)
- Balancing selection (D)
- Myosarcoma is related to tumor of 49.
 - (A) Bone
- Cartilage (B)
- (C) Muscle
- (D) Skin




- **R** 50. The temperature and pH of nutrient medium should be maintained at respectively during tissue culture.
 - (A) $15-25^{\circ}$ C; 4-4.8
 - $18-20^{0}$ C; 5-5.8(B)
 - $4-10^{0}$ C; 6-6.8(C)
 - $18-20^{\circ}$ C: 7-7.8(D)
 - 51. Which is the recombinant protein used to dissolve blood clots?
 - (A) Factor IX
 - Urokinase (B)
 - Interleukin-1 receptor (C)
 - Tissue plasminogen activator (D)
 - cells lie in between seminiferous tubules. 52.
 - (A) Levdig
- (B) Sertoli
- Sustentacular (C)
- (D) Germinal
- 53. Where does the cardiovascular center lie?
 - Spinal cord
 - Medulla oblongata (B)
 - (C) Pons
 - Cerebellum (D)
- Which of the following are parts of forebrain? 54.
 - Olfactory lobes, cerebrum, diencephalon.
 - Thalamus, hypothalamus. (B)
 - (C) Telencephalon, diencephalon.
 - Cerebellum, medulla oblongata.
- Which of the following is INCORRECT with 55. respect to hibernation?
 - (A) It is also called as winter sleep.
 - It is state of reduced activities in some (B) organisms to escape cold winter conditions.
 - Animals rest in cool places. (C)
 - It is shown by bear inhabiting in cold (D) regions.
- Which of the following method represents 56. in-situ conservation of endangered species?
 - (A) Zoological park (B) National park
 - (C) Culture collection (D) Botanical garden
- The structure of DNA shows presence of 57. following bonds, except
 - (A) Peptide bond
 - Phosphodiester bond (B)
 - (C) Hydrogen bond
 - (D) Glycosidic bond
- 58. In a 3.2 Kbp long piece of DNA, 820 adenine bases were found. Identify the number of cytosine bases.
 - 780 (A)
- (B) 2380
- (C) 760
- (D) 790
- Complete the reaction by identifying X. 59. $C_6H_{12}O_6 \xrightarrow{Glycolysis} \mathbf{X'} + 2NADH+H^+ \longrightarrow$

2CH₃CHOHCOOH + 2NAD⁺

- 4CH₃COCOOH (A)
 - (B) 2CH₃COCOOH
- (C) 6CH₃COCOOH
- (D) 2CH₃CHO

- 60. Which conversion is catalyzed by saliva?
 - Proteins into amino acids
 - (B) Glycogen into glucose
 - Starch into maltose (C)
 - Lipids into fatty acids (D)
- 61. Condition of having kidney stones is referred as
 - **Nephritis**
- (B) Proteinuria
- (C) Bright's disease
- Renal calculi (D)
- 62. Identify the structure labelled as X in the given diagram along with its function and select the correct option.



	Structure	Function
(A)	Stigma	Produce pollen grains
(B)	Stigma	Receives pollen grains
(C)	Anther	Produce pollen grains
(D)	Anther	Receives pollen grains

- 63. Water transport need in most of the plants is met by
 - (A) osmosis
 - (B) root pressure
 - guttation (C)
 - transpiratory pull
- 64. Which of the following hormone can be used as a weedicide?
 - (A) IAA
- **IBA** (B)
- (C) GA
- (D) 2,4-D
- 65. Identify the CORRECT statement from the following.
 - Individual with genotype Hb^AHb^S shows (A) severe symptoms of Sickle cell anaemia.
 - Males with Turner syndrome are fertile. (B)
 - Females with Klinefelter syndrome are (C) fertile
 - Colour blindness is a sex-linked or X-(D) linked recessive disorder.
- Amino acid sequence in protein synthesis is 66. decided by the sequence of codons present on
 - (A) tRNA
- (B) mRNA
- rRNA (C)
- siRNA (D)
- Charas, marijuana, ganja and hashish are 67. obtained from
 - Erythroxylum coca (A)
 - (B) Papaver somniferum
 - (C) Cannabis sativa
 - (D) Datura stramonium
- Biofortified wheat with high protein content is 68.
 - Pusa Sem 2 (A)
- Atlas-66 (B)
- (C) Pusa Sadabahar
- (D) Pusa Sawani



МНТ	-CET Biology Test Series		
69.	What is the right granted by the government to an inventor in order to prevent others from commercially using his invention? (A) Biopiracy (B) Bioethics (C) Patent (D) Biowar	80.	At what temperature foes denaturation take place in the thermal cycler? (A) 50 - 55°C (B) 90 - 98°C (C) 40 - 60°C (D) 70 - 75°C
70.	 All are true for epididymis, EXCEPT (A) It receives sperms from testis. (B) It stores sperms till ejaculation. (C) It helps maturation of sperms. (D) It passes through the prostate and opens into the urethra 	82.	 (A) after second trimester (B) after first trimester (C) during third trimester (D) after delivery What is the contraction of heart muscles known as?
71.	acts as the pacemaker of the heart. (A) SA node (B) AV node (C) AV septum (D) Bundle of His		(A) diastole(B) systole(C) ventricular systole(D) ventricular diastole
72.	Identify the part of the brain which can distinguish smell. (A) Epithalamus (B) Pons varolii (C) Olfactory lobes (D) Medulla	83.	lobe has visual area mainly for sense of vision. (A) Frontal (B) Occipital (C) Parietal (D) Temporal
73.	Which of the following indicates parasitism between species A and B? (A) +,- (B) -,- (C) +,+ (D) +,0	84.	Which of the following biome recieves least rainfall and has high temperature? (A) Coniferous forest (B) Desert
74.	What is the respiratory quotient of proteins? (A) 1.0 (B) 0.8 (C) 0.9 (D) 0.5		(C) Arctic and Alpine Tundra (D) Tropical forest
75.	is sudden worsening of renal failure that most commonly happens after severe bleeding. (A) ARF (B) Uremia (C) CKD (D) Nephritis	85.	Which hormone can lower blood-Na ⁺ concentration by way of water reabsorption in DCT and collect duct? (A) Oxytocin (B) PTH (C) ADH (D) ACTH
76.	Complete the given analogy with respect to the essential whorls of a flower. Androecium:Stamen:: Gynoecium:	86.	Which of the following part attaches ovule to the placenta inside the ovary? (A) Hilum (B) Nucellus (C) Funiculus (D) Synergids
77.	In <i>Mirabilis jalapa</i> ., when two F ₁ pink flowered plants were crossed with each other, the F ₂ generation produced 20 red, 40 pink and 20 white flowering plants. Identify the type of inheritance. (A) Recessive epistasis (B) Polygenic inheritance	87. 88.	Who proposed the chromosomal theory of inheritance? (A) Norman Borlaug (B) Watson and Crick (C) Sutton and Boveri (D) Mendel In processing of eukaryotic hnRNA during protein synthesis tailing involves
	(C) Incomplete dominance(D) Co-dominance		(A) addition of methyl guanosine triphosphate at 3' end
78.	Which one of the following makes use of RNA as a template to initiate DNA synthesis? (A) Reverse transcriptase (B) DNA-dependent RNA polymerase (C) DNA dependent DNA polymerase	89.	 (B) addition of methyl guanosine triphosphate at 5' end (C) addition of adenylate residues at 3' end (D) removal of exons and splicing of introns Rupturing of amniotic membrane of foetus
79.	(D) RNA polymerase What is the antibacterial substance present in tears?		occurs (A) after expulsion stage (B) after birth
	(A) Perforin (B) Lysozyme (C) Histamine (D) CRP		(C) during expulsion stage(D) during dilation stage



- 90. Which of the following is responsible for converting inactive fibringens into active fibrins?
 - (A) Thrombokinase
- (B) Prothrombin
- (C) Thromboplastin
- (D) Thrombin
- 91. Identify the cranial nerves that control the movement of eye.
 - (A) III, IV and V
- (B) IV, V and VII
- (C) III, IV and VI
- (D) III, V and VII
- 92. recessive sex linked genes are required for expression of sex linked traits in females.
 - (A) 2
- (B) 4
- (C) 6
- (D) 8
- 93. Identify the term that refers to the process by which DNA duplicates to form identical copies.
 - (A) Transcription
 - (B) Translation
 - (C) Reverse transcription
 - (D) Replication
- 94. The natural method of contraception is also known as
 - (A) coitus interruptus
 - (B) rhythm method
 - (C) physiological method.
 - (D) none of these
- 95. Total volume of air accommodated in the lungs at the end of a forced inspiration is represented as
 - (A) TLC = RV + ERV + TV + IRV
 - (B) EC = TV + ERV
 - (C) IRV = ERV + RV
 - (D) VC = IRV + TV + ERV
- 96. gland is located in a bony depression called sella turcica.
 - (A) Pituitary
- (B) Pineal
- (C) Parathyroid
- (D) Thyroid
- 97. All are temporary methods of birth control, EXCEPT
 - (A) vasectomy
- (B) saheli
- (C) IUD
- (D) nirodh
- 98. How many lobes is the Pituitary gland divided into?
 - (A) Two
- (B) Three
- (C) Four
- (D) Seven
- 99. Identify X, Y and Z in the given chart and select the correct option.
 - 'X' is the female reproductive whorl of a flower

Individual member of 'X' is a called 'Y'

'Y' consists of stigma, ovary and 'Z'

- (A) X: Gynoecium; Y: Pistil; Z: Style
- (B) X: Androecium; Y: Carpel; Z: Anther
- (C) X: Gynoecium; Y:Carpel; Z: Style
- (D) X: Androecium; Y: Stamens; Z: Anther
- 100. A Red list of endangered species is maintained by
 - (A) CSIR
- (B) IUCN
- (C) NEERI
- (D) WLS

Topic Test - 01

- 1. (A) 2. (A) 3. (A)
- 4. (B) 5. (B)
- **6. (A)**Glycolipid, phospholipid and glycerophospholipid are compound lipids.
- 7. (A) 8. (A) 9. (A) 10. (B) 11. (C) 12. (D)
- 13. (B) 14. (B) 15. (B)
- 16. (B) 17. (B)
- **18. (D)**Ribulose and fructose are monosaccharides with ketone groups.
- **19. (B)** Adenine is a purine base.
- 20. (B) 21. (B)
- 22. (C) Fructose $-C_6H_{12}O_6$
- 23. (D)
- **24. (D)**Lipids are heterogeneous, organic compounds. They are insoluble in water.
- 25. (B)
- **26. (D)** Lipids are micromolecules.

- 27. (B)
- 28. (A)
- **29. (C)** Rhamnose and digitoxose are carbohydrates.
- **30. (A)**Glycolipids are compound lipids whereas steroids, waxes and carotenoids are derived lipids.
- 31. (B) 32. (C) 33. (B) 34. (A) 35. (B) 36. (B)
- 34. (A) 35. (B) 36. (B) 37. (C)
- 37. (C) 38. (B)
 - Histones and albumins are simple proteins and haemoglobin is conjugated protein.
- 39. (C) 40. (B) 41. (D) 42. (B) 43. (C) 44. (C)
- 45. (A) 46. (B) 47. (A)
- **48. (D)** Glycogen is a homopolysaccharide.
- 49. (D)
- **50.** (B)

Topic Test - 02

- 1. (D) 2. (A)
- 3. (A)
 Hexokinase helps in Glycolysis and hence present in cytoplasm. Rest help in Krebs cycle, hence present in mitochondria.
- 4. **(B)**
- (C)
 During formation of one molecule of Acetyl Co
 -A, one NADH₂ is formed, which ultimately yields 3 ATP molecules in ETS.
- 6. (A) 7. (D) 8. (C)
- 9. **(D)**In alcoholic fermentation of sucrose, the first step is hydrolysis followed by glycolysis, decarboxylation and reduction.
- 10. (C) 11. (D) 12. (C) 13. (D) 14. (A) 15. (D)

- 16. (A) 17. (B) 18. (B)
- 19. (C)
 End products of aerobic respiration are CO₂,
 H₂O and energy.
- 20. (D) 21. (B) 22. (A)
- 23. (A) 24. (D) 25. (A)
- 26. (C) 27. (B) 28. (D) 29. (B) 30. (D) 31. (C)
- 32. (A) 33. (B) 34. (A)
- 35. (B) 36. (A) 37. (C)
- 38. (D)
- 39. (C)
 During anaerobic respiration, the net gain of ATP is 2 ATP per glucose molecule.

Thus number of ATP molecules generated by the breakdown of 20 glucose molecules during anaerobic respiration is (2 X 20 ATP) 40 ATP.

Revision Test - 01

- 1. **(D)**
- 2. **(A)**
- 3. (A)

- 4. **(A)**
- 5. **(B)**
- 6. **(C)**

- 7. **(B)**
- 8. **(B)**
- 9. **(A)**

The general formula for simple carbohydrates is C_nH_{2n}O_n and for complex carbohydrates it is $(C_6H_{10}O_5)_n$.

Glucose fructose and are simple carbohydrates. In mammals, the disaccharide-lactose present in milk provides energy to their young ones.

- 10. **(D)**
- 11. **(C)**
- **12.** (A)

- 13.
- **(A)** 14.
- 15. **(B)**

16. (A)

(D)

17. (A)

> Erythrose -4C atoms Glucose – 6C atoms Ribose – 5C atoms

- 18. **(C)**
- 19. **(B)**
- 20. **(D)**

21. (A)

Thymine, cytosine and uracil are pyrimidines.

- 22. **(D)**
- 23. **(A)**

Sucrose is a disaccharide.

- 24. **(C)**
- 25. **(A)**
- 26. **(B)**

- 27. **(B)**
- 28. **(C)**
- 29. **(C)**

Two hydrogen bonds are present between adenine and thymine.

Three hydrogen bonds are present between guanine and cytosine.

Purine and pyrimidine ratio is 1:1.

- **30. (A)**
- 31. **(B)**
- 32. **(B)**

- 33. **(B)**
- 34. **(A)**
- **(B)** 35.

- 36. **(B)**
- 37. **(D)**

Lecithin is a micro-molecule.

38. **(C)**

> During the process of glycolysis, 4 molecules of ATP are generated. If fructose-6-phosphate is used as substrate instead of glucose, then phosphorylation -I will not occur and only one molecule will be utilized phosphorylation II. Hence, net gain of ATP will be 4 - 1 = 3ATP

- 39. **(C)**
- 40. **(B)**
- 41. **(C)**

(A)

42. **(A)**

(C)

- 43. **(C)**
- 47. **(D)**

48. (A)

45.

- 46. **(C)** 49. (A)
- **50.**

44.

(D)

Model Test Paper - 01

1. **(D)**

Glucose and galactose cannot be easily converted into one another.

- 2. **(C)**
- 3.
- **(B)**
- **(D)**

- 5. **(C)**
- 6. (A)

Chamber A has a higher water potential and hence osmosis will take place from chamber A to chamber B.

- 7. **(D)**
- 8. **(B)**

In birds male has genotype ZZ and female has genotype ZW.

- 9. (A)
- 10.
- **(C)**
- **(D)** 11.

(D) 12.

CO-12 is hybrid variety of jowar.

- 13.
- 14. **(C)**
- 15. **(B)**

- **16. (A)**
- 17.

Brood parasitism – Interaction between Cuckoo and Crow

- 18. **(B)**
- 19. (A)
- 20. **(D)**


- 21. **(C)**
- 22. **(D)**
- 23. **(D)**

24

Reproduction by seed is a method of sexual reproduction.

- 25. **(C)**
- 26. **(D)**
- 27. **(D)**

Gametes:



28. **(B)**

> The number of base pairs can be calculated by dividing the length of the DNA by between base pairs the distance the $2.72\,m$ $_{-} = 8 \times 10^{9} \text{ bp}$

i.e.
$$\frac{2.72 \text{ m}}{0.34 \times 10^{-9} \text{ m/bp}} = 8 \times 10^9 \text{ bg}$$

- 29. **(D)**
- 30.
 - **(B)**
- 31. **(D)**

- 32. **(C)**
- 33. **(B)**
- 34. **(C)**

- 35. **(B)**
- 36. **(C)**
- 37. (A)

This is based on Lindeman's 10 percent Law. So, if grass traps 30 Joule energy then,

 $Grass(30 J) \rightarrow Grasshopper (3 J) \rightarrow Frog(0.3 J)$ \rightarrow Snake(0.03 J)

So, energy available for Snake is 0.03 J.

- 38. **(D)**
- 39.

The carboxyl group (-COOH) of amino acid is acidic in nature, whereas the amino group (-NH₂) is basic in nature.

- 40. **(B)**
- 41. **(C)**
- 42. **(C)**

43. **(D)**

> Asparagus is vegetatively propagated through roots. Bryophyllum, Kalanchoe and Begonia are propagated through leaves.

- 44. **(D)**
- 45. **(C)**
- 46. **(B)**

In the given cross, green pods and yellow pods are produced in 1:1 ratio, hence it has to be a test cross. Thus, genotype of green pods must be Gg.

- 47. **(D)**
- 48. **(C)**
- 49. **(C)**

- **50. (B)**
- **(D)** 51.
- 52. (A)

- 53. **(B)**
- 54. (A)
- 55. **(C)**

Hibernating animals rest in warm places.

- **56. (B)**
- 57. (A)
- **58.** (A)

∴.

3.2kbp = 3200bp

Adenine = 820, then Thymine = 820 (: A = T)

- A + T = 1640 i.e. 820 + 820
- G + C = 3200 1640 = 1560
- Cytosine = $\frac{1560}{2}$ = 780 *:*. $(:: C \equiv G)$
- 59. **(B)**
- **60. (C)**
- 61. **(D)**

- **62. (C)**
- 63. **(D)**
- 64. **(D)**

65. (D)

Klinefelter syndrome occurs in males and Turner syndrome occurs in females. Thus, males with Klinefelter syndrome are sterile and females with Turner syndrome are sterile. Individual with genotype HbAHbS is a carrier of Sickle cell anaemia.

66. (B)

(C)

- **67.**
- **68. (B)**

- **69.**
- **70. (D)**

(C)

- 72. **(C)**
- 73.
- **(A)** 71.

- **(A)**
- **74. (C)**

- *75.* **(A)**
- **76. (B)**
- 77. **(C)**

- **78. (C)**
- **79. (B)**
- **80. (B)**

- 81. **(B)**
- **82. (B)**
- **(B)** 83.

- 84. **(B)**
- 85. **(C)**
- **(C)** 86.

- **87. (C)**
- 88. **(C)**
- 89. **(D)**

- 90. **(D)**
- 91. **(C)**

Oculomotor, Pathetic and Abducens are the cranial nerves that control the activity of eye muscles.

- 92. **(A)**
- 93.
 - **(D)**
- 94. **(B)**

95. **(A)**

> Total Lung Capacity (TLC): Total volume of air accommodated in the lungs at the end of a forced inspiration.

- 96. **(A)**
- **97. (A)**
- 98. **(A)**

(C)

Pituitary gland is divided into two lobes adenohypophysis and neurohypophysis.

- 99.
- 100. (B)



- Get instant verification of your answer
- Detailed analysis of every test on completion
- Option to save questions for future reference



Scan QR Code to download the app

Visit Our Website

Target Publications® Pvt. Ltd. Transforming lives through learning.

Address:

2nd floor, Aroto Industrial Premises CHS, Above Surya Eye Hospital, 63-A, P. K. Road, Mulund (W), Mumbai 400 080

Tel: 88799 39712 / 13 / 14 / 15 Website: www.targetpublications.org Email: mail@targetpublications.org



Explore our range of MHT-CET Test Series Books

